RFQ Reference: 37/04/STAR-C/ISA-2024	Date: 23 April 2024

Subject: Supply, Installation, Testing & Commissioning (SITC) of equipment and instruments for setting up the STAR Centre in Cameroon including one-year Comprehensive Maintenance Contract (CMC)

SECTION 1: REQUEST FOR QUOTATION (RFQ)

ISA kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This Request Letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

Annex 4: Checklist for Submission of Bid

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

The ISA recognizes the importance of valuing diversity and promoting inclusion in all our work programs and partnerships. The ISA highly values engaging with organizations and/or teams that reflect its geographical and diverse nature.

Thank you and we look forward to receiving your quotations.

lssued by: Vishal Pratap				
Signature:				
Name:	Procurement Unit			
Date:	23/04/2024			

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by ISA. This RFQ is conducted in accordance with the ISA Financial Regulations and Procedures and ISA Procurement Manual Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the
	acceptance of the Bid by ISA. ISA is under no obligation to award a contract to any Bidder as a result of this RFQ.
	ISA reserves the right to cancel the procurement process at any stage without any liability of any kind for ISA, upon notice to the bidders or publication of cancellation notice on ISA website
Deadline for	14.05.2024 by 2300 HRS IST
the Submission of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/ .
	For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.
Method of	Quotations must be submitted as follows:
Submission	☐ E-tendering ☐ Dedicated Email Address
	☐ Courier / Hand delivery ☐ Other Click or tap here to enter text.
	Bid submission address: procurement@isolaralliance.org
	■ File Format: PDF files only
	 File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.
	 All files must be free of viruses and not corrupted.
	 Max. File Size per transmission: 10 MB
	It is recommended that the entire Quotation be consolidated into as few attachments as possible.
	 The bidder should receive an email acknowledging email receipt.
Cost of preparation of quotation	ISA shall not be responsible for any costs associated with a Bidder's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct, Fraud, Corruption,	All prospective suppliers must read the ISA Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the ISA. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://isolaralliance.org/images/ISA%20Supplier%20Code%20of%20Conduct_14.4.2023.final%20version.pdf
	Moreover, ISA strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of ISA vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation.
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to ISA staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, ISA: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the

	vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a ISA contract.
Conflict of Interest	ISA requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to ISA if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have an undisclosed conflict of interest shall be disqualified.
	The ISA shall have the discretion to disqualify or proceed with a bidder who has disclosed a probable conflict of interest subject to further evaluation and review of various factors such as access to sensitive information which may confer unfair advantage as against other bidders. The decision on a probable conflict of interest shall be made in the best interest of the work of the ISA.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of ISA staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to ISA's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General Conditions of Contract	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract https://www.isolaralliance.org/images/ISA_GTB.pdf
Special Conditions of Contract	☐ Cancellation of PO/Contract if the delivery/completion is delayed by 10 days ☐ Others [pls. specify]
Pre-bid Conference	Not Applicable
Eligibility	A vendor who will be engaged by ISA may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to ISA whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by ISA.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by ISA.
	 Bidders must have the legal capacity to enter a binding contract with ISA and to deliver in the country, or through an authorized representative. Company registration certificate or any other document proving legal entity. The bidder must have the experience of supply of solar equipment's / hardware components. Submit copy of work order or completion certificate The bidder must have annual turnover of more than USD 100,000 - Please attach relevant documents.

Currency of	Quotations shall be quoted in USD
Quotation	·
Joint Venture, Consortium or Association	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between ISA and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 22 – 27 under Solicitation Process in the Procurement Manual (will be provided on request) for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture,
Duties and taxes	Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid. The United Nations (privileges and immunities) Act, 1947 is applicable to ISA pursuant to a notification by the host country. Therefore, ISA is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use in India. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below: All prices must: Be inclusive of VAT and other applicable indirect taxes
	☐ be exclusive of VAT and other applicable indirect taxes
	[according to project and applicable country agreement]
Language of	English
quotation	Including documentation including catalogues, instructions and operating manuals.
Documents to be submitted	Bidders shall include the following documents in their quotation: ☑ Annex 2: Quotation Submission Form duly completed and signed ☑ Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1 ☑ Company Profile. ☑ Registration certificate; ☑ Company Profile. ☑ Descriptive Literature: Bidders shall provide full technical details of products being offered, including technical sheets and pictures showing details and general views. Specific details of items offered should be clearly stated as standard catalogues may offer options; ☑ Documents showing that the bidder has minimum of five (5) years of relevant experience – proof of purchase orders/ contract is to be submitted. ☑ Documents showing that the bidder has an experience of design, supply, installation and commissioning of Grid connected/off grid Solar PV Power Plant and experience of rendering

	☑ Statement of satisfactory Performance (Certificates) from the top two clients in terms of Contract value in similar field, plus client's contact details who may be contacted for further information on those contracts;
Quotation validity period	Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	
	☐ Permitted Insert conditions for partial quotes and ensure that the requirements are properly listed in lots to allow partial quotes
Alternative	
Quotes	
Payment Terms	
Conditions for Release of	☑ Written Acceptance of Goods & Services, based on full compliance with RFQ requirements.
Payment	
	■ 100% of <u>training charges</u> after completion of Training on Operation and Maintenance.
	commissioning
Contact Person	E-mail address: procurement@isolaralliance.org
for correspondenc	Attention: Quotations shall not be submitted to this address but to the address for quotation submission above. Otherwise, offer shall be disqualified.
e, notifications	Any delay in ISA's response shall be not used as a reason for extending the deadline for
and	submission, unless ISA determines that such an extension is necessary and communicates a new
clarifications	deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 2 days before the submission deadline. Responses to request for clarification will be communicated thru email.
Evaluation method	☑The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
Evaluation	
criteria	
	□ Earliest Delivery /shortest lead time
	□Others Click or tap here to enter text.
Right not to	ISA is not bound to accept any quotation, nor award a contract or Purchase Order
accept any	is not bound to accept any quotation, not award a contract of Fulchase order
quotation	
Right to vary	At the time of award of Contract or Purchase Order, ISA reserves the right to vary (increase or
requirement at	decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%)
time of award	of the total offer, without any change in the unit price or other terms and conditions.
Type of	☐ Purchase Order
Contract to be	☐ Contract for Works
awarded	☐ Other Type/s of Contract [pls. specify]

Expected date	30 May 2024
for contract	
award.	
Publication of	ISA will publish the contract awards valued at USD 100,000 and more on the ISA website.
Contract Award	
Policies and	This RFQ is conducted in accordance with ISA Financial Regulation and Procedures and ISA
procedures	procurement manual
Other	The ISA is striving to achieve gender parity in all its activities. In this regard, female-owned organizations
Provisions	and/or teams with significant gender diversity are strongly encouraged to submit a proposal.
	The ISA recognizes the importance of valuing diversity and promoting inclusion in all our work programs and partnerships. The ISA strives to engage with organizations and/or teams that reflect its geographical representation and diversity.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Recognizing the urgent need to support the developing country (ISA members) with high potential for solar technology deployment, the ISA Assembly agreed to establish an international network of STAR C (Solar technology Application Resource Centre). The overarching objective of the STAR C initiative is to provide solar technology and application resourcing services to Member Countries so that these countries can achieve the ISA's vision of scaled up and accelerated large scale deployment of solar energy to meet the respective countries' priority energy access, energy transformation and energy security needs.

ISA aims to a have number of STAR centres across the globe acting as a shared facility that provides capacity for deployment of solar energy applications and research, business modelling, incubation, training, standardization and testing engaging faculty members from different disciplines/institutes of excellence and provide/use shared facilities, labs, testing centres etc.

In order to equip these STAR Centres, ISA aims to procure equipment and instruments that help the centres to offer hands on training; act as a testing facility and setup a knowledge management centre.

Such centres are being created by ISA in **Cameroon**. The host institution for the STAR Centre in Cameroon is the **Ministry** of Water and Energy.

This RFQ is for Supply, Installation, Testing & Commissioning (SITC) of equipment and instruments for setting up the STAR Centre in **Cameroon** including one-year Comprehensive Maintenance Contract (CMC).

A needs assessment and situation analysis were undertaken in Cameroon, to identify the high growth sectors within solar energy technology, and the attendant training needs. Large scale solar; Rooftop solar; solar mini-grids; and Solar Home System and other off-grid solar applications are the high growth sectors in Cameroon. These sectors will drive solar training needs in the medium to long term and require trained technicians and engineers to size, install, operate and maintain solar systems for socio-economic development, especially in rural and peri-urban areas. The current solar training and testing facilities as well as the solar curriculum was evaluated for gaps through secondary research and primary stakeholder interviews with the private sector companies, industry bodies, government, and academia.

The major findings were the need for understanding of the various solar components, design, sizing, installation, operations, and maintenance. According to the evaluation of the needs and gaps, a list of solar equipment has been suggested for the STAR C to prioritize in its implementation. A detailed list of the technical specifications is provided:

Recommended Technical Specifications for Goods

Subject: Supply, Installation, Testing & Commissioning (SITC) of equipment and instruments for setting up the STAR Centre in **Cameroon** including one-year Comprehensive Maintenance Contract (CMC).

Recommended Technical Specifications for Goods

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
1	Solar PV module:515/525/530Wp mono- crystalline	10	The module must satisfy all the IEC/IS regulations issued by the national authority in Cameroon.	The modules convert solar photovoltaic energy to electricity.
2	Polycrystalline/CIGs module: 100/200 Wp	1 module each of polycrystalline and CIGS module- whatever is available		This would mainly be for display or academic training purposes so that trainees are aware of the existing technologies in the country and other markets
3	Module mounting structure for flat RCC roof (Ballast Type)	1	GI coated structure	The mounting structures provide support and optimum tilt angle to satisfy ideal

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
				conditions for module power production.
4	Mounting structure (elevated type) 1 to 2 kW	1		A different mounting structure other than Ballast type is recommended considering different surface type for mounting of modules
5	Array combiner box with fuse 1 IN -1 out with SPD	1	System with appropriate protective devices like Fuses, MCB and SPDs. The AJB must satisfy all the IEC/IS regulations.	The AJB or array combiner box collects DC power from PV strings.
6	AC DB with SPD Class 2,with CB (5kW, 1Ph)	1	System with appropriate protective devices like MCB and SPDs. The ACDB must satisfy all the IEC/IS regulations.	The ACDB is a device that acts as a protective medium between the inverter and the load.
7	Mounting Structure for corrugated tin/tiled roof with slope (for mounting at least 2 solar panels)	1	Made of Aluminium or GI coated steel	To display the way solar panel can be mounted on a sloped roof
8	5 KVA hybrid inverter/ set of equipment	1	The inverter brand must satisfy all the IEC/IS regulations issued by the national authority in Cameroon -Should have the capacity to export power to grid (with an option to turn off the grid export), charge the battery bank from PV solar and Electricity both with option of priority setting Should be compatible with VRLA Battery and LiFeO4 both - Three-phase connection (single-phase optional if three-phase system not common) - 5000 W AC output, capable to provide backup power in case of grid-failure - Min. 5000 W PV power to be connected	For exporting solar energy into the grid, charging the battery with solar energy and running the load using solar energy/energy stored in the battery The solar panels and battery storage supplied should be compatible with this Inverter.
9	Battery system	1	Cell chemistry: LiFePo4 - Min. 4000 Wh usable storage capacity at 100% DOD) -Min. 4000 cycles - system voltage and integrated BMS compatible	Storage of power as a backup mainly during power outage

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
			with the installed battery (or hybrid) inverter (certified by manufacturer of inverter)	
10	Micro inverter 1 kW	2		This would mainly be for display or academic training purposes
11	1Cx4sq.mm Solar DC cable	50 meter	KEI/Apar/ RR Make	1Cx4SQ.MM DC cable is used to interconnect modules and input towards AJB.
12	1Cx4sq.mm copper cable	50 meter	KEI/Apar / RR approved Make	All the panels and the structure should be connected together to protect it from short-circuiting, lightning etc.
13	CABLE, 3CX4 sq.mm PVC copper cable	30 meter	KEI/Apar / RR approved Make	3CX4 SQMM cable is used to connect inverter to LT panel
14	1CX6sq mm cable	80 meter	KEI/Apar / TPSSL approved Make	1CX6 sq mm cable is an protective earthing cable used to protect the system from short-circuiting, lightening etc
15	AC/DC earthing copper panels	2	Copper panels	All the AC/DC devices should be earthed for protection, all the AC earth points are connected together similarly for DC.
16	Earthing kit, 1.5m 14mm cu bonded rod	3	Copper rod	The earth cable has to be earthed to the ground by copper rod for discharge of excess power arising due to short-circuiting.
17	Lightning arrestor (1.5M Height)	1	Copper rod	A lightning arrestor offers protection to the modules from lightning.
18	Installation Kit	1	Discom approved Make	Contains nut, bolts, casing, cable tray, and lugs of appropriate size and number to complete the installation
19	Generation and energy meter	1	The meter must satisfy all the IEC/IS regulations issued by the national authority in Cameroon.	The generation meter provides info on the current generated by the solar system. The energy meter provides the total net consumption by the load after import and export to the grid.
SOLA	AR WATER HEATING SYSTEM			
20	Solar Water Heater	1	Capacity - 100 LPD Preferably ETC type with extra glass tube to cover for maintenance. Safety Devices – Thermostat, Pressure release valve Pipe Connection - 3 /4" SS Pipes	Harnesses solar power to provide warm water.

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
	D.WATER RUMPING SYSTEM		Backup Electric Heating - 5 kw heating element Rated Working Pressure - 0.05 MPa Stand Angle -24 degrees Daily Usage - upto 4 persons Maximum No .of Outlets - 2 Warranty - 1 Year	
SOLA	AR WATER PUMPING SYSTEM			
21	Solar water pump (submersible)	1	Product name SQF 14-3 N Product No 98994933 EAN number 5712604877111	Renewable energy submersible pump with built in inverter for solar, wind and AC power source. Runs on both AC and DC voltage
22	Safety water level sensor for safety water reservoirs	2	ModelLWS Measuring Level0-4 m MediaWater Process Temperature-20 to +40 Deg C Process Pressure+/- 100 bar Probe Length 15 mm Housing MaterialStainless Steel IP Protection Class IP68 Voltage15 to 80 V DC	Measuring water level to prevent overflow
23	DC bench power supply (to simulate PV modules)	2	voltage and current specifications according to both pumps; at least 2 channels; adjustable 0 - 30 VDC; 0 - 3A; 195W; Resolution: Voltage: ≤0.01% + 2mV; Current: ≤0.01% + 250uA	For simulating the power generated by PV modules for pumping
24	Water pressure gauge	2	according to used water pipes	To measure the pressure of the pipes
25	Water reservoir	2	100 litres with cover	To store the pumped water
26	Emergency stop switch for pumps	1	Red emergency stop button on yellow background, surface mounted	For emergency stop of the pump
27	Pressure valve	1	Flux 0.4-10 m ³ /h	To regulate flow rate
28	Flow meter	1	Min. 0.4 m³/h - 10 m³/h/ Digital output via USB	Measure the flow rate of pumped water

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
Othe	r Training Equipment			
29	Solar Power Generation and Training System	2	The system must satisfy all the IEC/IS regulations issued by the national authority in Cameroon.	The system is a composite testing and training kit which comprises voltmeters, multimeters and ammeters along with 4 nos. 250Wp solar panels, 4 nos. 100Ah battery, 1kVA inverter and control panel for experiments.
30	Junction boxes	6		100 x 100 x 40 mm (LxWxH) approx., surface mounting (for work board)
31	Cable tray	10 meters		Helps to properly route the cables without any physical damage
32	MC4 Y-plug and connector	50	Include all type of MC4 connecting pairs	Used for connecting solar module to one another in series and parallel
33	Z, T and C, U clamps	2 to 3 of each clamps type		To lock module with each other, to mount cable tray, conduit piped
34	Digital multimeter (medium quality)	6	TRMS values, capable of measuring AC (750 V) & DC (1000 V) voltages, DC current 10 A, continuity/resistance, fused for current measurements, overvoltage CAT III 1,000 V and CAT IV 600 V. Lower-cost instruments are suitable for work board exercises	To measure voltage, current, resistance and continuity testing
35	Spare fuses for above multimeter (medium quality)	30	30 of each type of fuse in multimeter	Maintenance for multimeters
36	Insulation resistance tester	1	Capable of measuring insulation resistance at 250 V, 500 V and 1000 V, isolations-resistance measurement to 20 G Ω , resistance measurement 0,01 Ω - 20 k Ω , AC voltage measurement 0 - 500 V AC, overvoltage CAT IV 600 V	Insulation testing in the context of solar energy typically refers to assessing the electrical insulation of components within a solar power system, such as solar panels, inverters, and associated wiring. Ensuring proper insulation is crucial to prevent electrical faults, short circuits, and to maintain the

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
				safety and efficiency of the solar installation
37	Compass	5	Basic, low cost, pocket size compass, of type used by walkers	Compass is used for locating geographical direction. They are critical instruments to ensure appropriate alignment of module to true south or north direction
38	Electrician's tools kit	5 sets	Set of electricians' insulated hand tools, screwdrivers, pliers, cable cutter, cable stripper, 1000 V insulation, standard IEC EN 60900	
39	Adjustable spanners	3	Maximum opening: 30 mm	To tighten nut-bolts
40	Spanner set	2	For nuts and bolts widths 6 - 22 mm (recommended range)	To tighten nut-bolts
41	Screwdriver set for precision mechanics	2	For single slot and Philipps screws: 6 different standard sizes	To drive screws and assemble items
42	Long tape measures	3	Also called builder/surveyor's tapes, 20m or more, fibreglass tape (not steel), metric	Measurements on site
43	Allen key with ratchet	2	Key sizes : 1.5 - 10 mm approx.	To open/ tighten allen nut bolting system
44	Cordless screwdriver with bits	2	18V or higher, XR Li-Ion Brushless Self-Drilling Screwdriver, High – Torque 2000rpm up to 6.15mm with spare battery.	for screwing and light drilling, quality manufacturers recommended
45	Drilling Machine	1	Cordless 18V or higher, XR Lilon Brushless hammer drill, two speeds (0-7650/0-28,050rpm),up to 13mm chuck size, Battery capacity (5Ah), Max Torque (68 Nm) with spare battery.	For heavy drilling especially through concrete walls
46	Angle grinder	1	Cordless 54V or higher, Brushless motor, Battery capacity (9Ah), speed 9000rpm with spare battery.	To cut mounting structure, and especially for installation on tiled roof
47	Set of drilling bits (for wood, steel, and stone	2 set each		

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
48	Hole saw set (or 20mm hole saw minimum)			To drill PVC conduit size holes for passing conduit pipes
49	Crimping tool kit	2	MC4 2.5,4, and 6mm	To crimp MC4
50	Crimping tool (lobster)	1	H Crimping tool (Model: HAK19A)	To crimp the lugs to the cables
51	Caulking gun / glue gun	2	Drip-Free Caulk Gun Adjustable 24:1 or 12:1 Thrust Ratio 1/10 Gallon Cartridge	To apply sealant or adhesive to secure roof attachments and seal penetrations.
52	PPEs	20 sets	Safety goggles, hand gloves, safety boot, appropriate clothing, safety harness, Hard hat, ear protection, first aid kits	To train the users on using the safety gears while handling the solar power system and other electrical system
53	Electrical Conductivity Meter	2	Apure A10 EC	
54	Dip line with probe	2	Modern Geotechnical Services (MGS)	To determine borehole or tube well water levels; such as Static water head, Dynamic water head.
55	Electrical insulation tape	8 pcs.	Red, Black, Blue, Green – 2 pcs of each colour	
56	DC circuit breaker with fuses	8 pcs	4 each of single and double pole	
57	DC Lamp with cable and switch	4 pcs	The lamp should be of high durability.	
58	Spare Cable	Solar Cable: 4 sq mm- 20 m 6 sq mm – 20 m Battery Cable 16 sq mm – 20 m 25 sq mm- 20 m		For hands – on training to participants
59	Flipchart board with paper, markers, coloured pencils etc.	Triangular stand, cork board, A3 paper – 20 pcs Markers- 20 pcs (Red, Blue, Black, Green with spare ink bottles) Coloured pencils-20 Pcs of multiple colours		
60	Laser rangefinder or telemeter	3		To measure distances

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
61	GPS	2		Determine position
SOLA	R HOME SYSTEM			
1	Solar Charge Controller MPPT	1	Nominal Power range 400 W Nominal Voltage (PV Input) max 42 VDC (if designed as 24 VDC system a DC/DC converter will be needed to ensure that standard 12 VDC appliances/loads can be used. Converter can be included into load distribution box if cooling is sufficient under load.) Nominal PV Input Current range 5-20 A Nominal Voltage (Load Output) 12 VDC Nominal Current (Load Output) min 25 A Nominal Battery Voltage range 1224 VDC (autodetect feature mandatory) Operating Temperature range 050 °C MPPT Technology 3-Way Battery Charging Profile or better (battery voltage setpoints according to used	A Maximum Power Point Tracking (MPPT) solar charge controller is used to optimize the efficiency of energy harvesting from solar panels. It adjusts the electrical operating point of the solar panels, ensuring that they operate at their maximum power output
2	VRLA AGM Battery for Cycling Solar applicationsTotal capacity min 2.4kWh @ c10 including interconnection, cable, screws, isolator, and cable to Battery Fuse and from Fuse to Inverter > Charge controller PV Modules	2	battery chemistry in 2.0) Nominal Voltage 12 VDC Nominal Capacity (C10) min 100 Ah Charge Cycles at 50% DoD min 1400 Maintenance Free, AGM (has to be a solar battery suitable for daily dis/charge cycles)DC Battery Fuse PV saline protection (IEC	-
3	Total min 300Wp, Voltage suitable for Charge Controller, Inverter		61701) if location is close to the sea Nominal Power per PV Module min 150 W (when using multiple PV Modules they have to be the same manufacturer and model) Open Circuit Voltage (STC) max 42 VDC Bypass diodes min 3 Reverse Current min 15 A Voltage Capability min 1000	

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
			VDC IP Class Junction Box min IP65 Temperature Range - 4085°C Cell Efficiency min 18% Power Tolerance max 5% MC4 Compatible Connectors Monocrystalline or Polycrystalline Technology	
4	Micro inverter 1 kW	1		Conversion of DC output to AC output
5	Fan (60-75 Wp)	1	Easy to assemble and operate and conforming to	Mainly for display/academic training purpose
6	Bulb	6		Mainly for display/academic training purpose. Spare Bulbs has also been considered.
7	Solar TV 32" Rechargeable All-in- one TV kit with Lithium battery	1	All-in-one TV kit, solar powered, long life Lithium Battery Built-in with LED TV, with DC 12V, USB Optional: WIFI, AC 220V Outlet, DVB-T2/DVB-S2	Mainly for display/academic training purpose
OUTI	DOOR SOLAR LIGHTINING		Oddet, 5 v 5 12/5 v 5 32	
1	Solar Street Light Kit	1	Park lamp for public areas and paths, 12W high efficiency LEDs, 1620 lumens, incl. lamp bracket, module mounting structure, top of pole mount battery box, solar charge controller with time program function, 80Wp module, 60Ah sealed battery	-
2	Lamp post for Street Light Kit	1	Lamp post 5 metres heigh with accessories for ground assembly, corrosion safe (anodized)	-
3	Scaffold complete assembly	1	TÜV certified; 5,30 m working height, 200 kg/m² load according to DIN EN 1004-1; movable with castors	-
4	Scaffolding Elevator Console with Pulley	1	Compatible with scaffolding system, load capacity: minimum 200 kg; rope and attachment to pull up batteries and PV modules to train part exchange	-

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
5	Ladder	1	6 m working height with stair function, aluminium, must withstand up to 150kg	-
DISP	LAY OF THE SYSTEM INSIDE THE TRA	AINING LAB		
1	Display Stand and Table	For Hybrid system, Solar Home System, Solar Power Generation and Training System and training tables for providing hands on training on using various equipment to participants	testing tables and display board of adequate size to mount the indoor training equipment and display for giving hands-on training to the trainees. Refer to the indicative picture below:	The system should be displayed on a display board put on a table with caster wheels ensuring the stability of the display arrangement with an option to easily move as well.

Solar PV testing equipment for STAR C in Cameroon

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
1	Vernier Calipers	1	Stainless steel digital calipers 150mm / 6 inches. • Weight: ~260 gm • Dimensions: 25 x 9.4 x 2.5 cm	Vernier calipers are precision measuring instruments used in various fields for accurately measuring the dimensions of objects. Vernier calipers can provide accurate measurements of dimensions such as thickness, diameter, and depth, which are crucial for ensuring proper fitting and alignment of solar equipment
2	Digital Multi-meter	2	Digital multi-meter for AC/DC voltage, resistance, capacitance, frequency measurement. • Weight: 300 gms • Voltage: DC: 600 volts; AC: 600 volts; DC Accuracy: ± 0.5% + 3 digit; AC Accuracy: ± 1% + 3 digit • Resistance: 40 M ohm; Resistance Accuracy: ± 1.5% + 3 digi • Capacitance: 100 μF • 1 year warranty	Multi-meters measures voltage, current, resistance of circuit and as well as measures the continuity of connections. This ensures proper module to module, module to inverter, inverter to other accessories connections, maintaining appropriate positive and negative terminals

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
3	Clamp meter	2	 200A AC/DC Clamp Meter (4345498). Weight: 400 gms 200 A ac and dc current 1000 V ac and dc voltage measurement range Measurement accuracy: +/5% 18mm triangular jaw 4000 Ω resistance range Continuity detection CAT III 600 V safety rating 	Clamp meters are used for troubleshooting electrical systems, checking load currents, and verifying proper operation of electrical equipment. They are especially useful in situations where traditional current measurement methods are impractical or unsafe
4	Pyranometer	2	Infrared battery powered Pyrometer. Weight: 280 gms Dimensions: 152 x 102 x 38mm (h*I*w) Ambient operating range: 0°C - 50°C Storage temperature: -20°C - 65°C Standards: EN 61326-1 Electromagnetic Emissions and Susceptibility EN 61010-1 General Safety EN 60825-1 Laser Safety Certification CE, CMC Warranty: 1 year	It's an instrument to measure temperature and coorelate with solar energy generation
5	Wind meter and sensor	1	Rugged, corrosion-resistant high performance wind sensor. Range: 0 to 50 m/s, Gust Survival 60 m/s Sensor: 12 cm cup wheel assembly 40 mm hemispherical cups Turning Factor: 75 cm (2.46 ft) Distance Constant: 2.3 m (7.5 ft.) for 63% recovery Threshold Sensitivity: 1.1 m/s (2.5 mph) Transducer: Stationary coil 1300 Ohm nominal DC resistance	By providing accurate wind speed measurements, can contribute to optimizing the performance and efficiency of solar power systems

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
			 Output Signal 4-20 mA = 0-50 m/s Power Requirement: 8 - 30 VDC Operating Temperature: -50 to 50°C (-58 to 122°F) 	
6	Measuring Tape	1	3In1 Laser Tape Measure Laser ABS+ manganese steel ruler belt Product model 1: 40 meters laser ranging +5 meters tape measure + laser cross marking line + 60m laser ranging +5m tape measure + laser cross marking line Battery type: Two AAA batteries Size: 85 * 82 * 56 mm Temperature range: 0-40 degrees Celsius Measurement accuracy: 2mm Accuracy: 2mm Accuracy: 2mm Dust and splash proof: IP54 Maximum storage: 20 groups Maximum/Minimum value: Minimum value 60 m	Measurements during installation of solar structure and PV modules
7	Water level	1	Spirit Level (0.5mm accuracy, without magnet) • Weight: 190 gms • Size: 60 cm	Level instrument is used in solar project - especially during installation of structures and modules to ensure : a. Horizontal surfaces are leveled b. Vertical alignment is maintained wherever required
8	Compass	1	 Waterproof outdoor compass. Dial Diameter: 65 mm Weight: 106 gm Size: 80*70 mm Accuracy: +/5° 	Compass is used for locating geographical direction. They are critical instruments to ensure appropriate alignment of module to true south or north direction
9	Pathfinder	2	Non-electronic solar pathfinder working on reflective principle	The Sun Path Finder is a device used to visualize and understand the path of the sun throughout the day and across

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
				different seasons. It helps in determining the solar access and shading conditions at a specific location, thereby useful in solar energy system design
10	Insulation test	1	 Insulation Tester. Weight: 550 gms Measurement Range: 10g Ohm Test Voltage: 50v, 100v, 250v, 500v, 1000 V Test Current: 1 Ma Nominal Auto Discharge: Discharge Time0.5 Second for C= 1 F or Less Live Circuit Indicator: Inhibit Test if Terminal Voltage> 30 Volts Prior to Initializations of Test 	Insulation testing in the context of solar energy typically refers to assessing the electrical insulation of components within a solar power system, such as solar panels, inverters, and associated wiring. Ensuring proper insulation is crucial to prevent electrical faults, short circuits, and to maintain the safety and efficiency of the solar installation
11	IV Curve Tracer	1	PVPM device allows the measurement of the IV characteristic of photovoltaic modules as well as strings and arrays up to 1500V and 20ADC. Voltage: 25V / 100V / 500V / 1500V Current: 2A / 5A / 10A / 20A Temperature: -40°C - +100°C with Pt1000 Irradiance: 0 - 1300W/m2 (Standard sensor) Accuracy: Sampling rate max. 100kHz Resolution 0.01V - 0.25V, 0.005A - 0.01A (depending on sel. range) Accuracy of the a/d converter 0.08% of FSR±1 LSB Accuracy Peak power measurement: ±5% Reproducement: ±2-3%	An IV curve tracer, or simply an IV tracer, is a tool commonly used in the field of photovoltaics, where the IV curve refers to the current-voltage characteristic of a solar cell or module. It helps understand how the electrical output of the solar cell varies with different operating conditions. It helps to understand solar cell performance under different conditions. It helps to identify the optimal operating points of a solar cell or module which is crucial in designing solar power systems to ensure maximum power output
12	Spectroradiometer to measure the solar spectral distribution between 300 and 2500nm	1	Combines the MS-711 and MS-713. The MS-711 measures between 300nm and 1100nm,	Spectroradiometers help characterize the solar spectrum and assess how well

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
			while the MS-713 covers the	solar cells respond to different
			near-infrared (NIR) range	wavelengths of light. This is
			between 900nm and 2500nm.	essential for designing efficient
			Reference: EKO WISER II	photovoltaic systems
			Spectroradiometer	
13	Infrared Camera PV Inspection	1	Professional thermal imager:	Infrared inspections can reveal
			resolution 640 × 480 pixels,	hotspots on solar panels,
			focus manual/auto, laser,	which may indicate
			thermal sensitivity < 40 mK,	malfunctioning cells or other
			standard lens, design with wrist	issues affecting the energy
			strap, along with the rotatable,	production efficiency
			fold-out display with high	
			brightness (to be seen in the	
			sun), with standard accessories.	
			Reference: TESTO 890-1 Order-	
			Nr. 0563 0890 X1	
14	Four-Quadrant Bipolar Power	1	Four-Quadrant Bipolar Power	PV systems are designed to
	Supply for PV I-V curve analysis		Supply for PV I-V curve analysis	operate at the maximum
			for operating in four-quadrant	power point for optimal
			mode. Umax± 60V, Imax ±20A,	energy harvesting. The four-
			1200W, power input 220-240	quadrant power supply can be
			Vac 60Hz Reference: matsusada	used to track and analyze the
			DOS60-20	MPPT performance by varying
				the operating conditions
15	Earth Resistance tester	1	Measures ground resistance	It is used for safety,
			from 0.05 Ω to 1,500 Ω	performance verification,
				preventing degradation, and
				regular testing
16	Battery testing tool	1	Must be suitable for battery	Instruments used to assess the
			capacities from 3 to 250Ah	performance, health, and
			Should have Certifications of CE,	characteristics of batteries.
			UKCA, FCC or equivalent LED	These tools help measure
			color indication for test result	various parameters such as
				voltage, current, capacity,
				internal resistance, and State
				of Charge.
17	Industrial Thermostat	1	AC 230 V operating voltage,	To measure temperature of
			on/off or 3-position control	water heated by the solar
			outputs	water heater
			RDF340: AC 24 V, operating	
			voltage, DC 010 V control	
			outputs	
			Output for 3-speed or 1-speed	
			fan	
18	Testing Stand		To put solar panels on the stand	The PV testing stand should be
			to test using the testing	movable to take it out in the
			equipment.	sun for testing purpose. The
				stand should have option to
		1		

#	Description of Supply Items	Quantity	Model/Make	Reason for Usage
			To put the battery on stand for	adjust the height and tilt of the
			testing.	panel.
				The battery test stand should
				also be movable and lined with
				wood/foam to protect from
				acid spillage etc.
19	Light meter/ Lux meter	5	Sensor Type- Solar Radiation	Luxmeter measures
			Sensor	illuminance in long term
			Model Name/Number -	outdoor applications according
			ESR003A.1	to the response of the human
			Usage/Application -	eye (Vlamba CIE curve). The
			Measurement Lux	sensing element is a
			Power Supply - 715 Vdc	photodiode with optical filter
				with interferential deposition
				in order to improve spectral
				transmission.
20	Solar Irradiance meter	1	Model10.0	Measures Solar irradiance
			Irrad. Range0-1999 W/m²	photovoltaic light PV visible + near IR Features.
			Peak Response940 nm	near ik reatures.
			Bandwidth400-1100 nm	Applied to:
			Resolution1 W/m²	Sun Irradiance Metrology
			Accuracy± 5% Ref. WRR	
			DetectorSilicon Photodiode	Solar PV Panel Input Rays
			Conv. Rate3.0 Readings/Sec	
			Display3.5 Digit LCD	Estimate PV Array Power
			Digit Size0.4 inch high	
			Oper. Temp32° F TO100° F	
			Oper. Humid.5% TO 80% RH	
			Dimensions (in.)4.2L x 2.4W x	
			0.9D (inches)	
			Weight4.5 OZ. (incl. batt.)	
			Power Source9-Volt DC Battery LensUV Glass	
			DiffuserVirgin Teflon .005	
21	Salar nawar matar	2	Diliuser virgili Telloli :005	To measure solar nower or
21	Solar power meter			To measure solar power or sunlight in units of W/m2,
				either through windows to
				verify their efficiency or when
				installing solar power devices
22	Power analyzer	2	BrandSBE	600 V (Ph- N), 1000 V (Ph- Ph)
	1 OWEI UIIUIYZEI		Model Name/NumberSBE - TPPA	True RMS Volt measurement
			80	80 A True RMS Current
			Display TypeDigital	Measurement
			PhaseThree Phase	dada.cene
			Accuracy0.2 Class	
			Frequency60 Hz	
			Range of Current80 mA to 80 A	
			Range of Voltage10 V to 600 V	
<u></u>			mange of voltage to v to ood v	

The company selected will be responsible for supply, installation and commissioning and should ensure proper synchronization and integration of the solar system and associated components to enable productive loads and smooth operation. The installation of equipment should be clean, untangled and aesthetically appealing. The cables should be put in conduit using PVC pipes and bends of adequate type and sizes. Cable joints should be properly sealed.

Notes:

- 1. The offered PV Modules should comply with the relevant IEC standards, including but not limited to IEC 61215, IEC 61730, UL 61730, IEC 62716 as well as local country's standards.
- 2. All solar components imported to Cameroon must comply with the import quality standards for the country.
- 3. Brands mentioned (if any) are indicative only. ISA may consider equivalent brands meeting the specifications.
- 4. Bidders are free to procure items locally within the mentioned country as well.

The company needs to submit relevant documents towards compliance of the above standard.

General Guidance

- The bidder can source the equipment from anywhere, but the equipment should be of good quality meeting the specifications as listed in the table.
- In case of battery, the bidder can procure it locally where the centre is being established.
- The preferred mode of transportation will be air freight, however economical route needs to be considered. The delivery, commissioning time in the country for all the equipment is maximum 90 days.
- It is bidder's responsibility to arrange labour or technicians for installation of equipment. The cost can be included in the final costing of the equipment.
- The bidder will provide manufacturer's warranty for all the equipment with complete documentation.

B. Objective

The objective of the assignment is to set up a model solar training and application resource centre (STAR C) lab at the **Ministry of Water and Energy Cameroon.**

C. Scope of Work

- 1. Component A: Supply, installation and Commissioning of the equipment's given in the above table.
- 2. **Component B:** Training of the Country's staff on Operation and Maintenance practice of the equipment and instruments.
- 3. Component C: Comprehensive Operation and Maintenance for 1 year post commissioning.

The roles and responsibilities of the bidder and ISA are outlined below: Bidder's Terms of reference:

- Design concepts
- Supply of materials and products
- Provide adequate skilled labour for installation and commissioning
- Construction supervision / contract management
- Quality control plan (QCP) and Safety plan
- Commissioning of project
- Mentoring and training, building operating staff for operation and maintenance
- Operation and Maintenance for first year and optional service plan after the first year

ISA and Country's identified STAR-Cs responsibilities:

• Provide location to install solar panels as per the contract.

- Review for approval design submittals
- Witness inspections and test witnesses to verify attainment of performance requirements
- Make progress payments for any service agreed
- Allow consultants access to STAR-C premises for site visit/energy audit exercise.
- Approve any contracts agreed with the consultant.

Payment Terms:

1. For Component-A (Supply, Installation and Commissioning of the equipment's)

S. No.	Description of Deliverables	Timelines	Release of payment
1	Kick-off meeting with a tentative plan	1 Week	20%
	for supply of material, Installation &		
	Commissioning		
2	Dispatch of material (Document proof	3 Weeks	10%
	of dispatch)	3 WEEKS	
3	Successful delivery of material on site.	10 Weeks	50%
4	Successful Installation, Commissioning	12 Weeks	15%
5	After successful operation for 3		5%
	months		

Notes:

- i. Transportation cost will be paid at the time of dispatching of the material.
- ii. Custom duty/excise duty will be paid on actual after submission of invoice and proofs.
- iii. The above payment schedule will be allowed for Component-A pricing.

2. For Component-B (Training of the Country's staff on Operation and Maintenance practice of the equipment and instruments)

S. No.	Description of Deliverables	Timelines	Release of payment
1	Training of the Country's staff on	Within 2 Weeks after	100%
	Operation and Maintenance	Successful Installation	
	practices	& Commissioning	

Notes:

i. Training of 3-5 people for maximum 4 days on day-to-day O&M of the equipment.

For Component-C (Comprehensive Operation and Maintenance for 1 year post commissioning)

i. Payment will be processed in two tranches, 1st tranche at the end of six months after commissioning and 2nd Tranche at the end of 12 months after commissioning.

Delivery Requirements

Delivery Requirements				
Delivery date and time Bidder shall complete the delivery and installation within 90 days from the issue Contract.				
Delivery Terms (INCOTERMS 2020) Delivered at Place				
Customs clearance	 □ Not applicable Shall be done by: □ Name of organisation (where applicable) ☑ Supplier/bidder 			
	☐ Freight Forwarder			

	Minister of Water and Forest Courses		
	Ministry of Water and Energy Cameroon		
	Gold Court Building		
Exact Address(es) of	Bastos Neighborhood		
Delivery Location(s)	Main Street: Joseph Mballa Eloumdem		
	Street No.: 1.845		
	Coordinates: 3.89280° N, 11.50575° E		
Distribution of shipping	Bidder responsibility		
documents (if using			
freight forwarder)			
Packing Requirements	Safe delivery of supplies, handling will be bidders responsibility		
Training on Operations and Maintenance	Within 14 days of delivery and installation		
Warranty Period	At least one year		
After-sales service and			
local service support	One year		
requirements			
Preferred Mode of	Air		
Transport			

NOTES:

- a. The products/goods/parts of machineries must be recalled by the manufacturer/ bidder/ supplier at the manufacturers/ bidder/ suppliers cost if rejected by ISA/ purchaser or end user because of the problems with quality. The supplier/ bidder/ manufacturer will be obliged to replace the products/goods/parts of machineries in question at its own cost with a new one of acceptable quality.
- b. The supplier will be responsible for protection of materials, property and equipment before successful delivery and handover to ISA.
- c. Prices quoted must be inclusive of all costs necessary to supply these items, including delivery, warranty, transport cost, insurance, materials, installation, training and commissioning etc.
- d. OEM of equipment's' can be from any country. However, meeting the technical specifications is mandatory requirement.
- e. Items can be procured locally, within the country. However, bidder shall provide 1 year CMC as per the contract.

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail		
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.		
Legal Address, City, Country	Click or tap here to enter text.		
Website	Click or tap here to enter text.		
Year of Registration	Click or tap here to enter text.		
Legal structure	Choose an item.		
Are you a UNGM registered vendor?	☐ Yes ☐ No If yes, insert UNGM Vendor Number		
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	☐ Yes ☐ No		
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	☐ Yes ☐ No		
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	☐ Yes ☐ No		
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	☐ Yes ☐ No		

Is your company a member of the UN Global Compact		☐ Yes ☐ No					
Bank Information		Bank Name: Cl	ick or tap here t	to enter text.			
		Bank Address:	Click or tap her	e to enter text.			
		IBAN: Click or t	tap here to ente	er text.			
		SWIFT/BIC: Cli	ck or tap here to	o enter text.			
			Account Currency: Click or tap here to enter text.				
		Bank Account Number: Click or tap here to enter text.					
		Previous rele	vant experience	e: 3 contracts			
Name of previous	Client	& Reference	Contract	Period of activity	Types of activities		
		act Details ding e-mail	Value		undertaken		

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered any improper, illegal, collusive, or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward, or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.

Yes	No	
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance
		for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we
		certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been
		authorised by the Organization/s to make this declaration on its/their behalf.

Signature:	
Name:	Click or tap here to enter text.
Title:	Click or tap here to enter text.
Date:	Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their quotation along with Annex 2 Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	RFQ/XXXX/IND 2023	Date: Click or tap to enter a date.	

Technical Offer

Qualification Criteria

Please fill this and attach relevant documents. Only quotations of bidders qualifying against the below criteria will be evaluated.

Qualifying Criteria	Yes/No	List of supporting documents
Bidders must have the legal capacity to enter a binding contract with ISA and to deliver in the country, or through an authorized representative.		
Bidders must have the legal capacity to enter a binding contract with ISA and to deliver in the country, or through an authorized representative. Company registration certificate or any other document proving legal entity.		
The bidder must have the experience of supply of solar equipment's / hardware components. Submit copy of work order or completion certificate		
The bidder must have annual turnover of more than USD 100,000 - Please attach relevant documents.		

ISA reserves the right to reject the bid if it determines that the selected bidder has not provided the supporting documents against the Qualifying Criteria.

Technical Proposal

The bidder shall include the following in the technical proposal document:

- A brief description of your qualification and capacity that is relevant to the Scope of Works;
- A brief method statement and implementation plan;

Technical offer should encompass detailed specifications, including make, complying standards, relevant test certificate as applicable for each of the component proposed to be supplied by the bidder under the RFQ in line with the table below (Please refer to the specification/description given in the schedule of requirement in Annexure 1 for submitting the technical & financial proposal):

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
1	Solar PV module:515/525/530Wp mono-crystalline					

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
2	Polycrystalline/CIGs module: 100/200 Wp					
3	Module mounting structure for flat RCC roof (Ballast Type)					
4	Mounting structure (elevated type) 1 to 2 kW					
5	Array combiner box with fuse 1 IN -1 out with SPD					
6	AC DB with SPD Class 2,with CB (5kW, 1Ph)					
7	Mounting Structure for corrugated tin/tiled roof with slope (for mounting at least 2 solar panels)					
8	5 KVA hybrid inverter/ set of equipment					
9	Battery system					
10	Micro inverter 1 kW					
11	1Cx4sq.mm Solar DC cable					
12	1Cx4sq.mm copper cable					
13	CABLE, 3CX4 sq.mm PVC copper cable					
14	1CX6sq mm cable					
15	AC/DC earthing copper panels					
16	Earthing kit, 1.5m 14mm cu bonded rod					

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
17	Lightning arrestor (1.5M Height)					
18	Installation Kit					
19	Generation and energy meter					
SOL	AR WATER HEATING SYSTE	М				
20	Solar Water Heater					
SOL	AR WATER PUMPING SYST	EM				
21	Solar water pump (submersible)					
22	Safety water level sensor for safety water reservoirs					
23	DC bench power supply (to simulate PV modules)					
24	Water pressure gauge					
25	Water reservoir					
26	Emergency stop switch for pumps					
27	Pressure valve					
28	Flow meter					
Oth	er Training Equipment	<u>'</u>	<u>'</u>	<u>'</u>		

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
29	Solar Power Generation and Training System					
30	Junction boxes					
31	Cable tray					
32	MC4 Y-plug and connector					
33	Z, T and C, U clamps					
34	Digital multimeter (medium quality)					
35	Spare fuses for above multimeter (medium quality)					
36	Insulation resistance tester					
37	Compass					
38	Electrician's tools kit					
39	Adjustable spanners					
40	Spanner set					
41	Screwdriver set for precision mechanics					
42	Long tape measures					
43	Allen key with ratchet					

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
44	Cordless screwdriver with bits					
45	Drilling Machine					
46	Angle grinder					
47	Set of drilling bits (for wood, steel, and stone					
48	Hole saw set (or 20mm hole saw minimum)					
49	Crimping tool kit					
50	Crimping tool (lobster)					
51	Caulking gun / glue gun					
52	PPEs					
53	Electrical Conductivity Meter					
54	Dip line with probe					
55	Electrical insulation tape					
56	DC circuit breaker with fuses					

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
57	DC Lamp with cable and switch					
58	Spare Cable					
59	Flipchart board with paper, markers, coloured pencils etc.					
60	Laser rangefinder or telemeter					
61	GPS					
SOL	AR HOME SYSTEM					
1	Solar Charge Controller MPPT					
2	VRLA AGM Battery for Cycling Solar applicationsTotal capacity min 2.4kWh @ c10 including interconnection, cable, screws, isolator, and cable to Battery Fuse and from Fuse to Inverter> Charge controller					
3	PV Modules Total min 300Wp, Voltage suitable for Charge Controller, Inverter					
4	Micro inverter 1 kW					
5	Fan (60-75 Wp)					
6	Bulb					

#	Description of Supply Items	Quantity	Detailed Specification	Make/Model	Complying Standard	Period of Warranty
7	Solar TV 32" Rechargeable All-in-one TV kit with Lithium battery					
OU.	TDOOR SOLAR LIGHTINING					
1	Solar Street Light Kit					
2	Lamp post for Street Light Kit					
3	Scaffold complete assembly					
4	Scaffolding Elevator Console with Pulley					
5	Ladder					
DIS	PLAY OF THE SYSTEM INSID	E THE TRAIN	NING LAB			
1	Display Stand and Table					

Solar PV Testing Equipment

#	Description of	Quantity	Detailed	Make/Model	Complying	Period of
	Supply Items		Specification		Standard	Warranty
1	Vernier Calipers					
2	Digital Multi-					
	meter					
3	Clamp meter					
4	Pyranometer					
5	Wind meter and					
	sensor					
6	Measuring Tape					
7	Water level					

#	Description of	Quantity	Detailed	Make/Model	Complying	Period of
	Supply Items		Specification		Standard	Warranty
8	Compass					
9	Pathfinder					
10	Insulation tester					
11	IV Curve Tracer					
12	Spectroradiometer					
	to measure the					
	solar spectral					
	distribution					
	between 300 and					
	2500nm					
13	Infrared Camera					
	PV Inspection					
14	Four-Quadrant					
	Bipolar Power					
	Supply for PV I-V					
	curve analysis					
15	Earth Resistance					
	tester					
16	Battery testing					
	tool					
17	Industrial					
1/	Thermostat					
18	Testing Stand					
19	Light meter/ Lux					
	meter					
20	Solar Irradiance					
20						
	meter					
21	Solar power meter					
22	Power analyzer					
			·	·	-	

The submission of proposal should highlight in subject line "SITC for equipment in Cameroon"

Financial Offer

Financial offer should encompass the quantity and price as applicable for each of the component proposed to be supplied by the bidder under the RFQ in line with the table below:

Submission for the Country...... (fill the country name)

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
1	Solar PV module:515/525/530Wp mono-crystalline				
2	Polycrystalline/CIGs module: 100/200 Wp				
3	Module mounting structure for flat RCC roof (Ballast Type)				
4	Mounting structure (elevated type) 1 to 2 kW				
5	Array combiner box with fuse 1 IN -1 out with SPD				
6	AC DB with SPD Class 2,with CB (5kW, 1Ph)				
7	Mounting Structure for corrugated tin/tiled roof with slope (for mounting at least 2 solar panels)				
8	5 KVA hybrid inverter/ set of equipment				
9	Battery system				
10	Micro inverter 1 kW				
11	1Cx4sq.mm Solar DC cable				
12	1Cx4sq.mm copper cable				
13	CABLE, 3CX4 sq.mm PVC copper cable				

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
14	1CX6sq mm cable				
15	AC/DC earthing copper panels				
16	Earthing kit, 1.5m 14mm cu bonded rod				
17	Lightning arrestor (1.5M Height)				
18	Installation Kit				
19	Generation and energy meter				
SOLAR V	VATER HEATING SYSTEM				
20	Solar Water Heater				
SOLAR V	VATER PUMPING SYSTEM				
21	Solar water pump (submersible)				
22	Safety water level sensor for safety water reservoirs				
23	DC bench power supply (to simulate PV modules)				
24	Water pressure gauge				
25	Water reservoir				
26	Emergency stop switch for pumps				
27	Pressure valve				

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
28	Flow meter				
Other T	raining Equipment				
29	Solar Power Generation and				
29	Training System				
30	Junction boxes				
31	Cable tray				
31	Cable tray				
32	MC4 Y-plug and connector				
33	Z, T and C, U clamps				
33	Z, T and C, O clamps				
34	Digital multimeter (medium				
	quality)				
35	Spare fuses for above				
33	multimeter (medium				
	quality)				
36	Insulation resistance tester				
37	Compass				
38	Electrician's tools kit				
39	Adjustable spanners				
40	Spanner set				
41	Screwdriver set for precision				
41	mechanics				
<u></u>		1	l .	<u> </u>	

Long tape measures				
Allen key with ratchet				
Cordless screwdriver with bits				
Drilling Machine				
Angle grinder				
Set of drilling bits (for wood, steel, and stone				
Hole saw set (or 20mm hole saw minimum)				
Crimping tool kit				
Crimping tool (lobster)				
Caulking gun / glue gun				
PPEs				
Electrical Conductivity Meter				
Dip line with probe				
Electrical insulation tape				
DC circuit breaker with fuses				
DC Lamp with cable and switch				
Spare Cable				
	bits Drilling Machine Angle grinder Set of drilling bits (for wood, steel, and stone Hole saw set (or 20mm hole saw minimum) Crimping tool kit Crimping tool (lobster) Caulking gun / glue gun PPEs Electrical Conductivity Meter Dip line with probe Electrical insulation tape DC circuit breaker with fuses DC Lamp with cable and switch	bits Drilling Machine Angle grinder Set of drilling bits (for wood, steel, and stone Hole saw set (or 20mm hole saw minimum) Crimping tool kit Crimping tool (lobster) Caulking gun / glue gun PPEs Electrical Conductivity Meter Dip line with probe Electrical insulation tape DC circuit breaker with fuses DC Lamp with cable and switch	bits Drilling Machine Angle grinder Set of drilling bits (for wood, steel, and stone Hole saw set (or 20mm hole saw minimum) Crimping tool kit Crimping tool (lobster) Caulking gun / glue gun PPEs Electrical Conductivity Meter Dip line with probe Electrical insulation tape DC circuit breaker with fuses DC Lamp with cable and switch	bits Drilling Machine Angle grinder Set of drilling bits (for wood, steel, and stone Hole saw set (or 20mm hole saw minimum) Crimping tool kit Crimping tool (lobster) Caulking gun / glue gun PPEs Electrical Conductivity Meter Dip line with probe Electrical insulation tape DC circuit breaker with fuses DC Lamp with cable and switch

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
59	Flipchart board with paper, markers, coloured pencils etc.				
60	Laser rangefinder or telemeter				
61	GPS				
SOLAR H	IOME SYSTEM				
1	Solar Charge Controller MPPT				
2	VRLA AGM Battery for Cycling Solar applicationsTotal capacity min 2.4kWh @ c10 including interconnection, cable, screws, isolator, and cable to Battery Fuse and from Fuse to Inverter> Charge controller				
3	PV Modules Total min 300Wp, Voltage suitable for Charge Controller, Inverter				
4	Micro inverter 1 kW				
5	Fan (60-75 Wp)				
6	Bulb				
7	Solar TV 32" Rechargeable All-in-one TV kit with Lithium battery				
OUTDO	OR SOLAR LIGHTINING				
1	Solar Street Light Kit				
2	Lamp post for Street Light Kit				
3	Scaffold complete assembly				
4	Scaffolding Elevator Console with Pulley				

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
5	Ladder				
DISPLAY	OF THE SYSTEM INSIDE THE TR	AINING LAB			
1	Display Stand and Table				

Solar PV Testing Equipment

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
1	Vernier Calipers				
2	Digital Multi-meter				
3	Clamp meter				
4	Pyrometer				
5	Wind meter and sensor				
6	Measuring Tape				
7	Water level				
8	Compass				
9	Pathfinder				
10	Insulation tester				
11	IV Curve Tracer				
12	Spectroradiometer to measure the solar spectral distribution between 300 and 2500nm				
13	Infrared Camera PV Inspection				
14	Four-Quadrant Bipolar Power Supply for PV I-V curve analysis				
15	Earth Resistance tester				
16	Battery testing tool				
17	Industrial Thermostat				
18	Testing Stand				

#	Description of Supply Items	Quantity	Detailed Specification	Unit Price	Total Price
19	Light meter/ Lux meter				
20	Solar Irradiance meter				
21	Solar power meter				
22	Power analyzer				

Please fill the component wise cost of goods/services in the table below:

SL NO.	BRIEF DESCRIPTION OF GOODS/ SERIVCES	Price in USD	Customs duty/excise duty/other taxes#
1	Component A: Supply of required solar PV Training and Testing equipment's* (As detailed out above), Installation, Testing & Commissioning		
2	Component B: Training Charges		
3	Component C: Comprehensive maintenance of the system for the period of one year form the date of commissioning.		
	Total Price		
	Transportation Price (up to delivery site)		
	Insurance Price (up to delivery site)		
	Other Charges (specify)		
	Total Final and All-inclusive Price		

- ISA will evaluate the financial offers received from the bidders based on total quoted price excluding tax.
- # Please provide details of the nature of the taxes. Taxes will be paid on actual basis on submission of documents proving the nature and the amount of tax.
- * ISA reserves the rights to select/deselect items from list of equipment's.

Compliance with Requirements

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer	
Minimum Technical Specifications			Click or tap here to enter text.	
Delivery Term (INCOTERMS)			Click or tap here to enter text.	
Delivery Lead Time			Click or tap here to enter text.	
Warranty and After-Sales Requirements			Click or tap here to enter text.	
Validity of Quotation			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	
Other requirements [pls. specify]			Click or tap here to enter text.	

Estimated weight/volume/dimension of the	Click or tap here to enter text.
Consignment:	
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted	
if awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.					
Exact name and address of company Authorized Signature:					

Company NameClick or tap here to enter text.

Address: Click or tap here to enter text.

Click or tap here to enter text.

Phone No.:Click or tap here to enter text.

Email Address:Click or tap here to enter text.

Date:Click or tap here to enter text.

Name: Click or tap here to enter text.

Functional Title of Authorised

Signatory:Click or tap here to enter text.

Email Address: Click or tap here to enter text.

ANNEX 4: CHECKLIST FOR SUBMISSION OF BID

Item	Yes, we have submitted	If you cannot submit, pls. indicate the reason
Technical Proposal		Click or tap here to enter text.
Filled up Annex 2 and Bidder Declaration form		
Registration Certificate		
Annual Turnover Certificate		
Documents against Qualifying criteria as per		
Annexure-3		
Financial Proposal		Click or tap here to enter text.
Quoted prices for all items in the list		
Quoted price for the three components in the table		
Quoted prices for Transportation (up to the delivery site)		
Quoted prices for Insurance (up to the delivery site)		
Quoted prices for VAT or other taxes and duties		

The submission of proposal should highlight in subject line "SITC for equipment in Cameroon"